

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33	federat\$3 with (data adj store data\$store database) with (query\$3 search\$3 access\$3) and driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:52
L2	53	federat\$3 with (data adj store data\$store database) with (query\$3 search\$3 access\$3) and (driver jdbc odbc)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 10:02
L3	57	federat\$3 with (data adj store data\$store database) with (quer\$4 search\$3 access\$3) and (driver jdbc odbc)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:53
L4	15	3 and @ad < "19991214"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 10:03
L5	1	federat\$3 with (data adj store data\$store database) with single adj (query sql)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 10:02
L6	50	(plurality federat\$3 virtual collection) with (data adj store data\$store database) with single adj (query sql)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 10:06
L7	6	6 and @ad < "19991214"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 10:06
L8	76	(plurality federat\$3 virtual collection) with (data adj store data\$store database) with single near2 (query sql)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 10:06
L9	11	8 and @ad < "19991214"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 10:06
L10	5	9 not 7	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 10:09
L11	1	("5596744").PN.	US-PGPUB; USPAT	OR	OFF	2007/03/08 10:09

EAST Search History

L12	20	merg\$3 adj driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 10:48
L13	1	("5913214").PN.	US-PGPUB; USPAT	OR	OFF	2007/03/08 11:00
L14	1	("6792416").PN.	US-PGPUB; USPAT	OR	OFF	2007/03/08 11:00
S1	5527	(707/1).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/03/08 09:36
S2	6804	(707/10).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/08 09:36
S3	727	(719/321).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/08 09:36
S4	1292	(719/328).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2007/03/08 09:36
S5	154	(interface proxy api) with (aggregat\$3 merg\$3 composit\$3 generic virtual) same driver same (database datastore data adj resource)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S6	3680	(interface proxy api) same driver same (database datastore data adj resource)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S7	2	database same merg\$3 near driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S8	43	(database data adj source data adj structure data adj access) adj driver same (plurality group multi multiple aggregat\$4 adj3 (database data adj source source data adj structure)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S9	47	(database data adj source data adj structure data adj access) adj driver same (plurality group multi multiple aggregat\$4 heterogen\$4) adj3 (database data adj source source data adj structure)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S10	808	(database data adj source data adj structure data adj access) adj driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36

EAST Search History

S11	1	(heterogeneous) near2 (database data adj source data adj structure data adj access) with driver	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/08 09:36
S12	29	(universal global) near2 (database data adj source data adj structure data adj access) near3 driver	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/08 09:36
S13	13	aggregat\$4 with database with driver	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/08 09:36
S14	111	(virtual aggregat\$4 multi multiple group plurality set) with (database data adj source data adj structure) adj driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S15	796	(database data adj source data adj structure) adj driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S16	55	(plurality multiple set multi group virtual aggregat\$3) with (data adj (source structure) database) same (common merg\$4 generic universal global) near2 (driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S17	57	(data adj joiner datajoiner)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S18	7	(database or data adj source or datastructure) with driver with api same (batch\$4 or merg\$4 or combin\$8)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S19	200	database with driver with api	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S20	15	(database or data adj source or data adj store or datastructure) same (batch\$4 or merg\$4 or combin\$8) near2 (access\$4 or request\$4) same driver and (interface or api)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S21	231	(database or data adj source or data adj store) same (batch\$4 or merg\$4 or combin\$8) near2 (access\$4 or request\$4) same (driver or interface or api)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S22	19	virtual near3 database near3 driver	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/08 09:36
S23	442	odbc with driver same (database data adj structure data adj source)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/08 09:36
S24	62	odbc with driver same (database data adj structure data adj source) with (multiple multi plurality group set aggregat\$4 virtual)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/08 09:36

EAST Search History

S25	206	(plurality multiple set multi group virtual aggregat\$3) with (data adj (source structure) database) same (merg\$4 interface) near2 (driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S26	10	virtual near3 (database or data adj source or data adj store) same (access\$4 or request\$4) same driver same (interface or api)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S27	5	((database or data adj source or data adj store) same (batch\$4 or merg\$4 or combin\$8) near2 (access\$4 or request\$4) same driver and (interface or api)) not ((database or data adj source or data adj store) same (batch\$4 or merg\$4 or combin\$8) near2 (access\$4 or request\$4) same driver same (interface or api))	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S28	55	(plurality multiple set multi group virtual aggregat\$3 herterogeneous) with (data adj (source structure) database) same (common merg\$4 generic universal global) near2 (driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S29	4	single near2 (access\$3 query\$) same (plurality multiple set multi group virtual aggregat\$3) with (data adj (source structure) database) same (common merg\$4 generic universal global) near2 (driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S30	8	single near2 (access\$3 query\$) same (plurality multiple set multi group virtual aggregat\$3) with (data adj (source structure) database) same (common merg\$4 generic universal global) near2 (api interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S31	8	single near2 (access\$3 query\$) same (plurality multiple set multi group virtual) with (data adj (source structure) database) same (common merg\$4 generic universal global) near2 (api interface)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S32	851	single near2 (access\$3 query\$) same (plurality multiple set multi group) with (data adj (source structure) database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S33	3	merg\$4 near3 driver same (data adj (source structure) database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S34	514	single near2 access\$3 same (plurality multiple set multi group) with (data adj (source structure) database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S35	15	remote with proxy with (generat\$8 or creat\$8) same reflect\$6	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36

EAST Search History

S36	17	(database or data adj source or datastructure or virtual) with driver with api same (batch\$4 or merg\$4 or combin\$8)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S37	5	database with driver with api same (batch\$4 or merg\$4 or combin\$8)	US-PGPUB; USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S38	3	disk same controller same driver same image with (recover\$3 rescu\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S39	18	field adj device same (start\$3 launch\$3) near2 (application program)	US-PGPUB; USPAT	OR	ON	2007/03/08 09:36
S40	165	port\$3 same software adj model	US-PGPUB; USPAT	OR	ON	2007/03/08 09:36
S41	79	(tcp\$ip transport adj layer) with (call\$back handl\$3 notif\$4 notification) with (event interrupt\$3 trigger status chang\$3) with (link connection)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S42	7	(retriev\$3) adj3 (multiple plurality group) adj3 data\$base with (api interface driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S43	53	(search\$3 access\$3) adj3 (multiple plurality group) adj3 data\$base with (api interface driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S44	295	(multiple plurality group) near3 data\$base with access\$3 with (api interface driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S45	228	(multiple plurality group) near3 data\$base with access with (api interface driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S46	772	(multiple plurality group) with data\$base with access with (api interface driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36
S47	48	database adj access same (merg\$3 batch\$3 group\$3) with (api interface driver)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:36

EAST Search History

S48	1	federat\$3 with (data adj store data\$store database) with (search\$3 query\$3 access\$3) same driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:45
S49	2	federat\$3 with (data adj store data\$store database) same driver	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:45
S50	2	federat\$3 with (data adj store data\$store database) same (jdb driver obdc)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2007/03/08 09:46